


ELECTRIC TOOL PARTS LIST

CORDLESS ROTARY HAMMER 2007 · 6 · 25
Model DH 36DAL (E1)



PARTS

DH 36DAL

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
1	306-345	FRONT CAP	1		
2	306-340	STOPPER RING	1		
3	323-154	GRIP	1		
4	324-528	BALL HOLDER	1		
5	324-526	HOLDER PLATE	1		
6	322-812	HOLDER SPRING	1		
7	984-118	WASHER (B)	1		
8	939-547	RETAINING RING FOR D20 SHAFT (10 PCS.)	1		
9	305-558	TAPPING SCREW (W/FLANGE) D5X25 (BLACK)	2		
10	325-555	GEAR COVER (A)	1		
11	307-688	OIL SEAL	1		
12	322-815	SLEEVE	1		
13	323-232	FELT PACKING (B)	1		
14	690-4DD	BALL BEARING 6904DDPS2L	1		
15	324-522	SLEEVE (A)	1		
16	322-813	RETAINING RING 37MM	1		
17	959-156	STEEL BALL D7.0 (10 PCS.)	1		
18	323-184	CYLINDER	1		
19	323-172	HITACHI PLATE (GREEN)	1		
20	325-551	CHANGE LEVER (A)	1		
21	878-885	O-RING (S-18)	1		
22	325-554	FELT PACKING	1		
23	323-239	TAPPING SCREW D2.6X10	1		
24	959-155	STEEL BALL D3.97 (10 PCS.)	1		
25	981-328	SPRING (H)	1		
26	323-185	SECOND GEAR	1		
27	317-233	SPRING (A)	1		
28	317-234	WASHER (A)	1		
29	317-235	RETAINING RING D30	1		
30	324-525	SECOND HAMMER	1		
31	944-486	O-RING (1AP-20)	1		
32	324-523	HAMMER HOLDER	1		
33	322-802	O-RING (B)	1		
34	322-805	DAMPER (A)	1		
35	322-808	O-RING (C)	1		
36	324-524	DAMPER HOLDER	1		
37	322-807	STOPPER RING	1		
38	324-535	STRIKER	1		
39	322-834	O-RING (I.D. 16)	1		
40	324-534	PISTON	1		
41	322-799	WASHER (C)	2		
42	325-254	O-RING (I.D. 72)	1		
43	323-157	INNER COVER ASS'Y	1	INCLUD. 57	
44	323-181	SECOND PINION	1		
45	323-182	CLUTCH SPRING	1		
46	324-606	CLUTCH	1		
47	323-249	PINION SLEEVE	1		
48	325-556	SPRING (C)	1		
49	325-553	LOCK PLATE	1		
50	325-552	SECOND SHAFT (A)	1		
51	322-798	PISTON PIN	1		

PARTS

DH 36DAL

[illegible]

STANDARD ACCESSORIES

DH 36DAL

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
501	323-155	SIDE HANDLE	1		
502	303-709	DEPTH GAUGE	1		
503		CHARGER (MODEL UC 36YRL)	1		
504A	329-319	CASE	1	TECH. NEWS NO. 1574	

OPTIONAL ACCESSORIES

ITEM NO.	CODE NO.	DESCRIPTION	NO. USED	REMARKS	
601	303-332	HAMMER DRILL CHUCK SET 13MM	1	INCLUD. 602, 603	
602	303-334	CHUCK HANDLE	1		
603	303-335	RUBBER CAP	1		
604	321-825	DRILL CHUCK AND ADAPTER SET	1	INCLUD. 605, 606	
605	303-623	CHUCK ADAPTER (G) (SDS PLUS)	1		
606	321-814	DRILL CHUCK 13VLRB-D	1	INCLUD. 607, 608	
607	995-344	FLAT HD. SCREW (A) (LEFT HAND) M6X25	1		
608	987-576	CHUCK WRENCH FOR 13VLB-D, 13VLR-D	1		
609	321-813	DRILL CHUCK 13VLD-D	1	INCLUD. 610	
610	303-334	CHUCK HANDLE	1		
611	971-787	DUST CUP	1		
612	931-844	STOPPER	1		
613	971-511Z	+ DRIVER BIT (A) NO. 2 25L	1		
614	971-512Z	+ DRIVER BIT (A) NO. 3 25L	1		
615	971-794	ANCHOR SETTING ADAPTER A W1/4" (MANUAL)	1		
616	971-795	ANCHOR SETTING ADAPTER A W5/16" (MANUAL)	1		
617	971-796	ANCHOR SETTING ADAPTER A W3/8" (MANUAL)	1		
618	971-797	ANCHOR SETTING ADAPTER A W1/2" (MANUAL)	1		
619	971-798	ANCHOR SETTING ADAPTER A W5/8" (MANUAL)	1		
620	971-799	ANCHOR SETTING ADAPTER B W1/4" (MANUAL)	1		
621	971-800	ANCHOR SETTING ADAPTER B W5/16" (MANUAL)	1		
622	971-801	ANCHOR SETTING ADAPTER B W3/8" (MANUAL)	1		
623	971-802	ANCHOR SETTING ADAPTER B W1/2" (MANUAL)	1		
624	971-803	ANCHOR SETTING ADAPTER B W5/8" (MANUAL)	1		
625	944-477	COTTER	1		
626	303-617	TAPER SHANK ADAPTER (SDS PLUS) NO. 1	1		
627	303-619	A-TAPER SHANK ADAPTER (SDS PLUS)	1		
628	303-620	B-TAPER SHANK ADAPTER (SDS PLUS)	1		
629	303-624	CHUCK ADAPTER (D) (SDS PLUS)	1		
630	302-976	ANCHOR SETTING ADAPTER A (SDS+) W1/4X260L	1		
631	302-975	ANCHOR SETTING ADAPTER A (SDS+) W5/16X260L	1		
632	303-621	ANCHOR SETTING ADAPTER A (SDS+) W3/8X160L	1		
633	302-974	ANCHOR SETTING ADAPTER A (SDS+) W3/8X260L	1		
634	302-979	ANCHOR SETTING ADAPTER B (SDS+) W1/4X260L	1		
635	302-978	ANCHOR SETTING ADAPTER B (SDS+)W5/16X260L	1		
636	303-622	ANCHOR SETTING ADAPTER B (SDS+) W3/8X160L	1		
637	302-977	ANCHOR SETTING ADAPTER B (SDS+) W3/8X260L	1		
638	303-044	CHEMICAL ANCHOR ADAPTER (SDS+) 12.7MMX90L	1		
639	303-045	CHEMICAL ANCHOR ADAPTER (SDS+) 19.0MMX100L	1		
640	303-625	CORE BIT SHANK (SDS PLUS) 25-38MM 105L	1		
641	303-626	CORE BIT SHANK (SDS PLUS) 25-38MM 300L	1		

OPTIONAL ACCESSORIES

DH 36DAL

[illegible]

